



## Cabinets & Racks

# Floor Cabinets – Model A



Linxcom 19" floor-standing cabinets and racks are a cost-effective solution that is both aesthetically pleasing and durable. Designed to be installed in data centres, equipment rooms and office environments to mount telecommunication, data communication, security, broadcasting and other electronic equipment.

### Features & Benefits

- Precise dimensions and craftsmanship
- Available in grey or black - other colours available upon request
- Arc vented 200° swing front/rear Doors that enable ventilation and reliable operation
- Equipped with both wheels and legs that hold over 800kgs
- Adjustable and lockable cable entries at the top and bottom
- Easy door access on any side
- Fully customisable to requirement
- Available with fixed base for installation in a set position
- Multiple cabinets can be linked together using baying kits
- Various accessories available, including fan trays, PDUs, cable management panels and more
- Various doors available, including: glass, punched, double horizontal, double vertical swing doors
- Maximum 1000kgs UDL loading capacity



30 Minute Assembly



2 Person Assembly



1000kgs UDL Capacity



Available Flat-Packed



IP Rating Available



Available Ready-Built

Below we have our standard stock sizes for height, widths and depths, but we also offer custom-built cabinets. If you require a specification which is not specified, then contact us and we can assist you.

### Available Configurations

Capacity (U)	Height (mm)	Widths (mm)	Depths (mm)	Colours
47	2220	600, 750	800, 1000	Black, Grey
42	2000	600, 750	800, 1000	Black, Grey
25	1400	600	800	Black, Grey








Cabinets & Racks

# Floor Cabinets – Model A

## Technical Specifications

Part	Material	Surface
Top Cover	SPCC Cold-Rolled Steel 1.2mm	Powder Coated/Vented Sides
Fan Tray	SPCC Cold-Rolled Steel 1.2mm	Powder Coated
Side Panel	SPCC Cold-Rolled Steel 1.2mm	Powder Coated
Right Rail	SPCC Cold-Rolled Steel 2.0mm	Powder Coated
Left Rail	SPCC Cold-Rolled Steel 2.0mm	Powder Coated
Frame	SPCC Cold-Rolled Steel 2.0mm	Powder Coated
Front Door	SPCC Cold-Rolled Steel 1.5mm	Powder Coated/Punched
Fixed Shelf	SPCC Cold-Rolled Steel 1.5mm	Powder Coated
Cable Management	SPCC Cold-Rolled Steel 1.5mm	Powder Coated
Bottom	SPCC Cold-Rolled Steel 1.5mm	Powder Coated
Right Rear Door	SPCC Cold-Rolled Steel 1.2mm	Powder Coated/Punched
Left Rear Door	SPCC Cold-Rolled Steel 1.2mm	Powder Coated/Punched

## Technical Drawings





Cabinets & Racks

# Floor Cabinets – Model A

## Ordering Information

Using the available configurations amend/create product codes using the formula below.

Linxcom		Colour		Depth	
Linxcom	<b>LXM</b>	Black	<b>BLK</b>	800mm	<b>8</b>
		Grey	<b>GRY</b>	1000mm	<b>1</b>
<b>LXM</b>	<b>A</b>	<b>GRY</b>	<b>7</b>	<b>1</b>	<b>25</b>
Model		Width		U Capacity (Height)	
Model A	<b>A</b>	600mm	<b>6</b>	47U (2220mm)	<b>47</b>
		750mm	<b>7</b>	42U (2000mm)	<b>42</b>
		<i>(Only for 42U or 47U)</i>		25U (1400mm)	<b>25</b>

Example: **LXMAGRY7125** - Linxcom Model A 25U 700\*1000mm Grey Floor Cabinet

For any queries, please contact the Linxcom team using the details below.